

## ADVANCES IN CATALYST SUPPORTS

A technical investigation  
commissioned by the members of the  
Catalytic Advances Program

Client Private  
November 2014



### **The Catalytic Advances Program (CAP)**

**The Catalytic Advances Program (CAP)** is an information resource for research and development organizations in the petroleum, chemical, and polymer industries. By the direction of the member companies (through balloting and other interactive means), the program delivers a range of timely and insightful information and analyses which are accessible exclusively to members and protected by confidentiality agreements. The objective is to provide a technical update on commercially viable advances in catalysis as well as benchmark commercial advances in catalysis and process technology.

Members receive three in-depth **CAP Technical Reports** which are written and peer reviewed by leading scientists and experienced industry professionals in areas selected by the membership (via ballot); weekly *CAP Communications* (delivered via e-mail) which provide the latest updates on technical breakthroughs, commercial events and exclusive development opportunities; and attendance at the **CAP Annual Meeting**.

The **Catalytic Advances Program (CAP)** is available on a membership basis from The Catalyst Group Resources (TCGR). For further details, please contact Matthew A. Colquitt at [Matthew.A.Colquitt@catalystgrp.com](mailto:Matthew.A.Colquitt@catalystgrp.com) or +1.215.628.4447 (x1130).



P.O. Box 680  
Spring House, PA 19477 U.S.A  
ph: +1.215.628.4447  
fax: +1.215.628.2267  
website: [www.catalystgrp.com](http://www.catalystgrp.com)

## TABLE OF CONTENTS

<b>EXECUTIVE SUMMARY</b> .....	<b>xxi</b>
<b>1. INTRODUCTION</b> .....	<b>1</b>
1.1 ROLES AND PREREQUISITES OF SUPPORT MATERIALS.....	1
1.2 METAL-SUPPORT INTERACTIONS.....	2
1.3 LIMITATIONS OF TRADITIONAL AND THE POTENTIAL OF NEW, INNOVATIVE SUPPORTS.....	3
1.4 SUPPORT MATERIAL PREPARATION.....	5
1.4.1 General Preparation Approaches.....	5
1.4.2 Ordered Mesoporous Materials.....	7
1.5 AUTHORS & CONTRIBUTORS.....	10
1.6 REFERENCES.....	11
<b>2. RECENT DEVELOPMENTS IN OXIDE SUPPORTS</b> .....	<b>15</b>
2.1 NONREDUCIBLE OXIDES.....	15
2.1.1 Al <sub>2</sub> O <sub>3</sub> .....	15
2.1.2 SiO <sub>2</sub> .....	19
2.1.3 MgO.....	22
2.2 REDUCIBLE OXIDES.....	23
2.2.1 TiO <sub>2</sub> .....	23
2.2.2 ZrO <sub>2</sub> .....	27
2.2.3 CeO <sub>2</sub> .....	29
2.2.4 Other Reducible Supports.....	31
2.3 MIXED OXIDES AND ZEOLITES.....	33
2.3.1 Mixed Oxides.....	33
2.3.2 Perovskites.....	34
2.3.3 Zeolites.....	35
2.3.4 Layered Double-Hydroxide.....	36
2.4 MECHANICAL RESISTANCE AND EASE TO SHAPE AND SIZE.....	37

2.5	CONCLUSIONS AND RECOMMENDATIONS .....	39
2.6	REFERENCES .....	40
<b>3.</b>	<b>RECENT DEVELOPMENTS IN NON-OXIDE SUPPORTS .....</b>	<b>53</b>
3.1	CARBIDES.....	53
3.1.1	SiC .....	53
3.1.2	Transition Metal Carbides .....	57
3.2	NITRIDES .....	59
3.2.1	Covalent Nitrides.....	59
3.2.2	Transition Metal Nitrides.....	62
3.3	FLUORIDES .....	64
3.3.1	Catalysis.....	64
3.3.2	Preparation.....	65
3.4	OTHER NON-OXIDES .....	66
3.5	SPECIAL NON-OXIDE SUPPORT MATERIALS .....	66
3.5.1	Metal-Organic Frameworks.....	66
3.5.2	Supported Ionic Liquids .....	67
3.5.3	Polymers .....	69
3.5.4	Metallic Supports.....	72
3.6	CONCLUSIONS AND RECOMMENDATIONS .....	73
3.7	REFERENCES .....	76
<b>4.</b>	<b>RECENT DEVELOPMENTS IN CARBON SUPPORTS .....</b>	<b>87</b>
4.1	GRAPHITIC CARBON .....	87
4.2	CARBON NANOTUBES AND NANOFIBERS.....	89
4.3	GRAPHENE.....	95
4.4	MESOPOROUS CARBON.....	98
4.5	CARBIDE-DERIVED CARBON .....	99
4.6	CONCLUSIONS AND RECOMMENDATIONS .....	100
4.7	REFERENCES .....	102
<b>5.</b>	<b>INDEX .....</b>	<b>117</b>

## FIGURES

Figure 1.1	Schematic representation of the endotemplated preparation of ordered mesoporous oxides. ....	7
Figure 1.2	a) Structure of a triblock copolymer of the Pluronic® type, typically used as a surfactant for the endotemplated preparation of ordered mesoporous materials; b) Schematic representation of the pore structures of different ordered mesoporous silicas .....	8
Figure 1.3	Schematic representation of nanocasting .....	9
Figure 2.1	TEM images of ordered mesoporous alumina synthesized using a triblock copolymer as a template. Source: Yuan et al., 2008 .....	16
Figure 2.2	HRTEM images of silica nanospheres of KCC-1. Source: Polshettiwar et al., 2010 .....	20
Figure 2.3	Schematic description of the pathway for the oxidation of CO on Au/TiO <sub>2</sub> catalysts at T ≥ 80 °C Source: Widmann et al., 2011 .....	24
Figure 2.4	TiO <sub>2</sub> beads after solvothermal treatment at 160 °C and calcination at 500 °C. Source: (Chen et al., 2010).....	26
Figure 2.5	TEM images (left) and SAXS patterns (right) of ordered mesoporous ZrO <sub>2</sub> -phosphomolybdic acid composites, prepared in the presence of Pluronic® F127 as an endotemplate. Source: Armatas et al., 2011 .....	28
Figure 2.6	Schematic evolution of the Ni/CeO <sub>2</sub> system during reduction and evacuation treatments. Source: Caballero et al., 2010 .....	30
Figure 2.7	a,b) TEM images with different magnification. c) High-resolution TEM image. e) Photography of soap bubbles with a model of the wall of the CeO <sub>2</sub> foam inserted. Source: Xing et al., 2012 .....	31
Figure 2.8	Separation of magnetically supported catalysts by an external magnet. Source: Mrowczynski et al., 2014 .....	32
Figure 3.1	TEM micrograph of ordered mesoporous SiC. Source: Krawiec et al., 2006 .....	56
Figure 3.2	Possible photoinduced charge transfer under X-ray irradiation for Pt particles supported on n-type (left) or p-type (right) GaN (E <sub>CB</sub> : conduction band, E <sub>VB</sub> : valence band, E <sub>F</sub> : Fermi level) Source: Schäfer et al., 2012.....	61

Figure 3.3	Synthesis of graphitic carbon nitride (g-C <sub>3</sub> N <sub>4</sub> ). Source: Wang et al., 2012d.....	62
Figure 3.4	Schematic representation of the "urea glass-route" developed by Antonietti et al. Source: Giordano et al., 2011 .....	63
Figure 3.5	<sup>1</sup> H MAS NMR spectra of a) Al <sub>2</sub> O <sub>3</sub> and b) AlF <sub>3</sub> ; δ=1.45 and 4.24 ppm: Al-OH, δ=5.38 ppm: Al-FH. Source: Haeßner et al., 2013 .....	65
Figure 3.6	Strategies for the catalytic use of MOFs. Source: Dhakshinamoorthy et al., 2012.....	67
Figure 3.7	Methods for the immobilization of ionic liquids on support materials. Source: Valkenberg et al., 2002.....	67
Figure 3.8	Concepts of supported ionic liquids according to Selvam, Machoke and Schwieger. Source: Selvam et al., 2012.....	68
Figure 3.9	Incarceration of Pd: The Pd precursor is encapsulated in the polymer support and undergoes crosslinking, leading to a more robust and less soluble metal catalyst. Source: Albeniz et al., 2011 .....	69
Figure 3.10	Scheme of a polymer-electrolyte fuel cell stack: 1) bipolar plate, 2) backing plate, 3) microporous layer, 4) catalyst layer, 5) membrane. Source: Yuan et al., 2012.....	72
Figure 3.11	SEM images of Pt-Ru catalysts deposited on a Ti mesh by a) electro- deposition and b) thermal deposition. Source: Allen et al., 2005.....	73
Figure 4.1	Some examples of carbon structures Sources: John et al., 2012, Schaetz et al., 2012 .....	87
Figure 4.2	Synthesis of hierarchal carbon using polymer spheres, silica particles, and sucrose as the template. Source: Yang et al., 2011 .....	98

## TABLES

Table 2.1	Synthesis methods for TiO <sub>2</sub> nanomaterials Source: Froeschl et al., 2012.....	25
Table 3.1	Electrical resistivities and thermal conductivities of selected oxide and carbide ceramics. Source: Warlimont, 2005.....	54
Table 4.1	Examples of CNT-supported metal catalysts .....	91
Table 4.2	Examples of confined CNT metal catalysts .....	94