

ADVANCES IN CATALYTIC REACTION ENGINEERING

A technical investigation
commissioned by the members of the
Catalytic Advances Program (CAP)

Client Private
November 2011



The Catalytic Advances Program (CAP)

The Catalytic Advances Program (CAP) is an information resource for research and development organizations in the petroleum, chemical, and polymer industries. By the direction of the member companies (through balloting and other interactive means), the program delivers a range of timely and insightful information and analyses which are accessible exclusively to members and protected by confidentiality agreements. The objective is to provide a technical update on commercially viable advances in catalysis as well as benchmark commercial advances in catalysis and process technology.

Members receive three in-depth **CAP Technical Reports** which are written and peer reviewed by leading scientists and experienced industry professionals in areas selected by the membership (via ballot); weekly *CAP Communications* (delivered via e-mail) which provide the latest updates on technical breakthroughs, commercial events and exclusive development opportunities; and attendance at the **CAP Annual Meeting**.

The **Catalytic Advances Program (CAP)** is available on a membership basis from The Catalyst Group Resources (TCGR). For further details, please contact Matthew A. Colquitt at Matthew.A.Colquitt@catalystgrp.com or +1.215.628.4447 (x1130).



P.O. Box 680
Spring House, PA 19477 U.S.A
ph: +1.215.628.4447
fax: +1.215.628.2267
website: www.catalystgrp.com

CONTENTS

| | |
|---|-------------|
| EXECUTIVE SUMMARY | xiii |
| 1. INTRODUCTION | 1 |
| 2. IMPROVEMENTS IN TRADITIONAL REACTOR TECHNOLOGY | 5 |
| 2.1 DRIVERS FOR NEW APPLICATIONS..... | 5 |
| 2.1.1 Markets, growth and globalization..... | 5 |
| 2.1.2 Feedstock landscape..... | 7 |
| 2.1.3 Topics to be covered..... | 8 |
| 2.2 INTRODUCTION TO REACTOR TECHNOLOGY | 9 |
| 2.2.1 Catalytic monolith reactors..... | 13 |
| 2.2.1.1 Short-contact time monoliths..... | 14 |
| 2.2.1.2 Modeling of full-scale monoliths..... | 14 |
| 2.2.1.3 Monoliths for two-phase (gas-liquid) processing..... | 15 |
| 2.2.1.4 Hydrodynamics and mass transfer..... | 15 |
| 2.2.1.5 Applications..... | 17 |
| 2.2.2 Unconventional oil processing..... | 18 |
| 2.2.2.1 Catalytic process reactors..... | 20 |
| 2.2.3 Ebullated and slurry bed reactor perspective | 37 |
| 2.3 CHALLENGES AND VISION..... | 38 |
| 2.3.1 Chemical mechanisms..... | 38 |
| 2.3.2 Reactor design and scale-up..... | 39 |
| 2.4 REFERENCES..... | 41 |
| 3. REACTION ENGINEERING FOR OXIDATION PROCESSES | 53 |
| 3.1 INTRODUCTION..... | 53 |
| 3.1.1 Historical background..... | 53 |
| 3.1.2 Distinguishing features..... | 53 |
| 3.1.3 Scope of this review..... | 54 |
| 3.2 OVERVIEW OF COMMERCIAL OXIDATION PROCESSES..... | 55 |
| 3.3 REACTION ENGINEERING OF GAS PHASE OXIDATION PROCESSES | 58 |
| 3.3.1 Kinetic modeling..... | 59 |
| 3.3.1.1 Oxidation of n-butane to maleic anhydride (MAN)..... | 59 |

| | | |
|-----------|--|-----------|
| 3.3.1.2 | Oxidation of o-xylene to phthalic anhydride | 62 |
| 3.3.1.3 | Oxidation of propane/propylene to acrolein/acrylic acid | 64 |
| 3.3.2 | Reactor types and performance models | 67 |
| 3.4 | REACTION ENGINEERING OF LIQUID PHASE OXIDATION PROCESSES | 75 |
| 3.4.1 | Key reaction engineering issues | 75 |
| 3.4.2 | Autoxidation of p-xylene to TPA | 76 |
| 3.4.3 | Epoxidation of propylene by hydroperoxide route | 79 |
| 3.4.4 | Oxidation processes with H ₂ O ₂ | 80 |
| 3.4.5 | Liquid phase oxidation reactors | 85 |
| 3.5 | GREEN OXIDATION PROCESSES | 86 |
| 3.6 | FUTURE DIRECTIONS & CONCLUSIONS | 88 |
| 3.7 | REFERENCES | 91 |
| 4. | REACTION ENGINEERING FOR BIOMASS CONVERSION..... | 99 |
| 4.1 | INTRODUCTION | 99 |
| 4.2 | REACTIVITY OF BIOMASS COMPONENTS | 99 |
| 4.2.1 | Cellulose | 100 |
| 4.2.2 | Hemicelluloses | 101 |
| 4.2.3 | Lignin | 102 |
| 4.2.4 | Moisture | 103 |
| 4.2.5 | Ash | 103 |
| 4.2.6 | Uniqueness of biomass reactivity | 104 |
| 4.3 | CONVERSION TO SUGARS | 105 |
| 4.3.1 | Sugars from cellulose and hemicelluloses | 105 |
| 4.3.2 | Factors affecting conversion to sugars | 106 |
| 4.3.2.1 | Lignin content | 106 |
| 4.3.2.2 | Hemicelluloses content | 106 |
| 4.3.2.3 | Acetyl and other inhibitor content | 106 |
| 4.3.2.4 | Cellulose crystallinity | 107 |
| 4.3.2.5 | Surface area and pore volume | 107 |
| 4.3.3 | Pretreatment of biomass | 107 |
| 4.3.3.1 | Physical pretreatments | 108 |
| 4.3.3.2 | Chemical pretreatments | 108 |
| 4.3.3.3 | Hydrothermal pretreatment | 110 |
| 4.3.3.4 | Physicochemical pretreatments | 110 |

| | | |
|---------|---|------------|
| 4.3.4 | Hydrolysis to produce sugars | 111 |
| 4.3.5 | Fermentation of sugars to ethanol | 112 |
| 4.3.6 | Conversion of sugars to hydrocarbons | 112 |
| 4.4 | GASIFICATION TO PRODUCE SYNTHESIS GAS | 114 |
| 4.4.1 | Gasification chemistry | 115 |
| 4.4.2 | Conditioning of synthesis gas..... | 117 |
| 4.4.3 | Small scale FT synthesis | 117 |
| 4.4.4 | Synthesis gas fermentation..... | 118 |
| 4.5 | PYROLYSIS TO PRODUCE BIO-OIL | 118 |
| 4.5.1 | Slow pyrolysis | 119 |
| 4.5.2 | Fast pyrolysis..... | 119 |
| 4.5.3 | Process considerations..... | 120 |
| 4.5.3.1 | Feedstock preparation..... | 120 |
| 4.5.3.2 | Heat transfer requirements | 121 |
| 4.5.3.3 | Effect of metal ions and salts | 121 |
| 4.5.3.4 | Catalysis | 121 |
| 4.5.3.5 | Kinetics..... | 122 |
| 4.5.3.6 | Bio-oil yields | 122 |
| 4.5.4 | Pyrolysis reactors | 122 |
| 4.5.4.1 | Bubbling fluidized bed | 123 |
| 4.5.4.2 | Circulating fluidized bed..... | 123 |
| 4.5.4.3 | Vacuum pyrolysis..... | 124 |
| 4.5.4.4 | Ablative fast pyrolysis..... | 125 |
| 4.5.4.5 | Rotating cone pyrolyzer | 126 |
| 4.5.4.6 | Auger reactor | 126 |
| 4.5.5 | Fuel properties of bio-oil..... | 126 |
| 4.6 | HYDROTHERMAL LIQUEFACTION TO PRODUCE BIO-CRUDE | 127 |
| 4.6.1 | Mechanism | 128 |
| 4.6.2 | Effect of catalysts | 130 |
| 4.6.3 | Properties of bio-crude | 131 |
| 4.7 | CURRENT STATUS, RESEARCH NEEDS AND FUTURE PROJECTIONS | 132 |
| 4.8 | REFERENCES | 133 |
| 5. | REACTION ENGINEERING FOR INTEGRATED REACTION-SEPARATION PROCESSES..... | 141 |

| | | |
|-----------|---|------------|
| 5.1 | INTRODUCTION | 141 |
| 5.1.1 | Process intensification by integrated reactive separation | 141 |
| 5.1.2 | Degrees of freedom in the design and operation of integrated reactive separations | 142 |
| 5.1.3 | Structuring of integrated reactive separations | 143 |
| 5.2 | REACTIVE DISTILLATION | 144 |
| 5.2.1 | Fundamental concepts | 144 |
| 5.2.2 | Review of development and applications | 145 |
| 5.2.3 | Design principles and optimization | 146 |
| 5.2.4 | Catalytic packings for reactive distillation | 147 |
| 5.3 | MEMBRANE REACTORS | 150 |
| 5.3.1 | Fundamental concepts | 150 |
| 5.3.2 | Review of development and applications | 152 |
| 5.3.3 | Design principles and optimization | 153 |
| 5.3.4 | Catalytic and non-catalytic membrane materials..... | 154 |
| 5.4 | CONTROL OF INTEGRATED REACTIVE SEPARATION SYSTEMS | 155 |
| 5.4.1 | Why proper control is needed..... | 155 |
| 5.4.2 | Systematic control structure selection | 157 |
| 5.4.3 | Case study | 160 |
| 5.4.4 | Assessment of integrated reactive separation control..... | 163 |
| 5.5 | TECHNOLOGICAL EVALUATION AND FUTURE RESEARCH NEEDS..... | 163 |
| 5.6 | REFERENCES | 166 |
| 6. | INDEX | 171 |

FIGURES

| | | |
|------------|--|---|
| Figure 2.1 | Products associated with the global chemical industry (After Duduković, 2009)..... | 5 |
| Figure 2.2 | Conversion of feedstocks into products using reactor technology. (From ExxonMobil, 2010)..... | 6 |
| Figure 2.3 | Total energy from non-renewable (oil, coal, gas, other) vs renewable (hydro, nuclear, biomass, solar, and wind) sources. (After Alboudwarej <i>et al.</i> , 2006)..... | 7 |
| Figure 2.4 | Distribution of petroleum reserves. | 8 |
| Figure 2.5 | Reactor "supermarket" showing some of the reactors used in practical processes (After Krishna, 1994)..... | 9 |

| | | |
|-------------|--|----|
| Figure 2.6 | Strategies for reactor selection based on three different levels of decisions. (Based on Krishna, 1994)..... | 10 |
| Figure 2.7 | Various reactor configurations used for conversion of synthesis gas to fuels and chemicals using the Fischer-Tropsch synthesis. (Adopted from Guettel <i>et al.</i> , 2008)..... | 11 |
| Figure 2.8 | Examples of catalytic monoliths. | 13 |
| Figure 2.9 | Flow patterns in vertical upward flow in monolith channels. 1: bubble flow; 2: slug flow; 3: taylor flow; 4: annular flow (After Cybulski and Moulijn, 1998)..... | 16 |
| Figure 2.10 | Streamlines inside a liquid slug in a round capillary for different capillary numbers (a) vertical pattern at high Ca (Ca = 0.52) , (b) bypass pattern at low Ca (Ca = 0.015). (After Thulasidas <i>et al.</i> ,1998)..... | 17 |
| Figure 2.11 | Temperature and pressure range for various catalytic hydroprocesses and thermal processes. (After Speight, 2011). | 19 |
| Figure 2.12 | Process options for petroleum processing as a function of carbon residue, metal content, sulfur content, and API gravity (Rana <i>et al.</i> , 2007)..... | 20 |
| Figure 2.13 | Schematic of a typical trickle-bed reactor used for catalytic hydroprocessing. | 21 |
| Figure 2.14 | Shell middle distillate hydrotreating process that decouples HDS and aromatic hydrogenation. | 25 |
| Figure 2.15 | Haldor-Topsoe process for production of ultra-low sulfur diesel. | 26 |
| Figure 2.16 | UOP MQD process for production of ultra-low sulfur diesel..... | 26 |
| Figure 2.17 | Fixed-bed reactors arrangements for SynTechnology..... | 27 |
| Figure 2.18 | Multifunctional reactor-separation system for gas oil hydrotreating. | 28 |
| Figure 2.19 | Fixed-bed reactor where the oil is pre-saturated with H ₂ so the bed has single-phase flow..... | 29 |
| Figure 2.20 | Shell moving bed "bunker" reactor. | 30 |
| Figure 2.21 | Process for HDS of heavy oil feedstocks using the Shell bunker reactor design upstream of a fixed-bed trickle flow reactor..... | 31 |
| Figure 2.22 | Ebullated bed reactor for heavy oil processing. | 32 |
| Figure 2.23 | LC-Fining reactor..... | 33 |
| Figure 2.24 | Reactor design for slurry phase hydrocracking process (from Steynberg, 2010)..... | 35 |
| Figure 2.25 | KOBELCO SPH process for the conversion of oil sands bitumen into low-sulfur distillates (After Kobe Steel 2005). | 36 |
| Figure 3.1 | Reaction engineering issues for catalytic reactor design and scale-up. | 58 |
| Figure 3.2 | Oxidation of n-butane to maleic anhydride..... | 59 |
| Figure 3.3 | Laboratory scale fluidized bed reactor configuration and SEM image of VPO catalyst used (Lorences <i>et al.</i> , 2003). | 61 |

| | | |
|-------------|---|-----|
| Figure 3.4 | Proposed mechanism for kinetic modeling of n-butane oxidation. | 62 |
| Figure 3.5 | Comparison of experiments with model predictions in oxidation of n-butane: (a) effect of O ₂ in feed under aerobic conditions and (b) effect of n-butane concentration in feed under anaerobic conditions (Gascon et al, 2006). | 62 |
| Figure 3.6 | Reaction pathways for oxidation of <i>o</i> -xylene over V/Ti/O catalyst (Ballarini, 2009) PA: phthalic anhydride; PTD: phthalide; OTA: <i>o</i> -tolualdehyde; MA: maleic anhydride; BA: benzoic acid; FDA: phthalaldehyde; OTAC: <i>o</i> -toluic acid; FTA: phthalic acid | 63 |
| Figure 3.7 | Reaction scheme for the oxidation of <i>o</i> -xylene to phthalic anhydride. | 64 |
| Figure 3.8 | Reaction pathways for oxidation of propylene to acrylic acid. | 65 |
| Figure 3.9 | Reaction network for propylene oxidation using a bifunctional catalyst (Wong et al, 2006). | 66 |
| Figure 3.10 | Improved designs of oxidation reactors: (a) Taheri et al, 2009, (b) Yada et al, 2006, (c) Grace et al, 2006, (d) Werth et al., 2009. | 70 |
| Figure 3.11 | DuPont's circulation fluidized bed reactor configuration (a) and lab-scale fluidized bed setup (b) for oxidation of <i>n</i> -butane to MAN. | 71 |
| Figure 3.12 | Reaction network and kinetic model for n-butane oxidation to MAN. | 72 |
| Figure 3.13 | Comparison of predicted and experimental results on oxidation of <i>o</i> -xylene under non-adiabatic conditions (Castillo-Araiza and Lopez-Isunza, 2010). | 73 |
| Figure 3.14 | Integrated three step process for oxidation of propane to acrylic acid. | 74 |
| Figure 3.15 | Autoxidation of p-xylene to terephthalic acid | 78 |
| Figure 3.16 | Bubble column slurry reactor for improved oxidation of p-xylene. | 78 |
| Figure 3.17 | Stoichiometric reactions of the Oxirane process. | 79 |
| Figure 3.18 | A novel gas-liquid reactor for epoxidation. For details of number indicators, see Strickler et al (2004). | 80 |
| Figure 3.19 | Process chemistry and flow scheme in integrated HPPO process (Nijhuis, 2006). | 82 |
| Figure 4.1 | Structure of cellulose polymer with <i>n</i> -2 anhydro-glucose subunits connected by β -(1,4)-glycosidic linkages. The left end monomer is non-reducing-type and the right end monomer is reducing-type glucose. | 101 |
| Figure 4.2 | A segment of hardwood xylan, <i>O</i> -acetyl-4- <i>O</i> -methylglucuronoxylan (adapted from Bobleter et. al. 1994). | 102 |
| Figure 4.3 | A molecular structure of lignin showing phenyl propane repeat units and crosslinking. | 103 |
| Figure 4.4 | Reaction pathways for the conversion of sugars into liquid alkanes (Chheda et al., 2007; adapted from Huber et al., 2005). | 113 |
| Figure 4.5 | Battelle biomass gasification system (Gupta, et al., 2010). | 114 |
| Figure 4.6 | Schematic of (a) updraft and (b) downdraft biomass gasifiers (adapted from McKendry, 2002). | 115 |

| | | |
|-------------|---|-----|
| Figure 4.7 | General process schemes for fast pyrolysis (adapted from Brown, 2003)..... | 120 |
| Figure 4.8 | Bubbling fluidized-bed reactor (adapted from Bridgwater, 2003)..... | 123 |
| Figure 4.9 | Circulating fluidized bed (adapted from Bridgwater, 2003). | 124 |
| Figure 4.10 | Schematic of the vacuum pyrolysis (adapted from Perez et al., 2002). | 125 |
| Figure 4.11 | Schematic of the ablative bed reactor (adapted from Mohan, et al., 2006; Bridgwater, 2003)..... | 126 |
| Figure 4.12 | Continuous hydrothermal liquefaction process (adapted from Goudriaan and Peferoen, 1990; Feng et al., 2004)..... | 128 |
| Figure 4.13 | Mechanisms of cellulose decomposition promoted in homogeneous and heterogeneous environments in hydrothermal medium (Fang et al., 2004)..... | 129 |
| Figure 4.14 | Reaction paths of lignin decomposition promoted in homogeneous and heterogeneous environments in hydrothermal medium (Fang et al., 2008)..... | 130 |
| Figure 5.1 | Degrees of integration and freedom in the design of multi-functional reactors. | 143 |
| Figure 5.2 | Residue curve map for ethyl acetate synthesis by reactive distillation (Sundmacher and Kienle, 2003)..... | 147 |
| Figure 5.3 | Catalytic packings for reactive distillations (Sundmacher and Kienle, 2003). .. | 148 |
| Figure 5.4 | Alternative configurations for methyl acetate production and comparison of corresponding acetic acid conversions as a function of reflux ratio (Krishna, 2003)..... | 149 |
| Figure 5.5 | Membrane functions in a chemical reactor (Sirkar et al., 1999). | 150 |
| Figure 5.6 | Composite zeolite membrane structure (courtesy of University of Kyoto, Japan)..... | 154 |
| Figure 5.7 | Reactive distillation column..... | 160 |
| Figure 5.8 | Performance of the NMPC controller with structure (T_{10} , T_{26} , x_{MeAc}) in response to a disturbance in the feed temperature..... | 162 |

TABLES

| | | |
|-----------|---|----|
| Table 2.1 | Qualitative Comparison of Fixed Bed and Bubble Column Reactors for the Fischer-Tropsch Synthesis (adapted from Guettel, 2008)..... | 12 |
| Table 2.2 | Key results for short contact time reactors..... | 14 |
| Table 2.3 | Operating Conditions for Hydroprocessing Reactors Used for Heavy Petroleum Feedstocks..... | 20 |
| Table 2.4 | Advantages and Disadvantages of Trickle-flow Fixed-bed Reactors | 22 |
| Table 2.5 | Key Factors for ULSD Hydroprocessing Unit Design..... | 23 |
| Table 2.6 | Commercial Technologies for Ultra-Low Sulfur Diesel Production | 24 |
| Table 2.7 | Comparison of Process Conditions for H-Oil and LC-Fining Reactors..... | 33 |

| | | |
|------------|--|-----|
| Table 2.8 | Global Status of Current and Planned Ebullated Bed Processes (After Martinez <i>et al.</i> , 2010)..... | 34 |
| Table 2.9 | Key Research Needs for Development of Chemical Mechanisms (H = High Priority, M = Medium Priority) | 39 |
| Table 2.10 | Key Research Needs for Reactor Engineering (H = High Priority, M = Medium Priority) | 40 |
| Table 3.1 | Commercial Oxidation Processes for Bulk Chemicals/Monomers (Weissermehl, K. and Arpe, 2003) | 56 |
| Table 3.2 | Catalysts and Processes for n-Butane Oxidation to MAN..... | 60 |
| Table 3.3 | Catalysts and Processes for Oxidation of Propylene to Acrylic Acid | 65 |
| Table 3.4 | Comparison of Gas Phase Oxidation Reactors (Centi et. al., 2001)..... | 68 |
| Table 3.5 | Catalysts and Processes for Direct Oxidation of Propane to Acrylic Acid | 74 |
| Table 3.6 | Catalysts for Direct Oxidation of H ₂ to H ₂ O ₂ | 81 |
| Table 3.7 | Catalysts used for Benzene to Phenol with H ₂ O ₂ | 84 |
| Table 4.1 | Cellulose, Hemicelluloses, and Lignin Contents in Biomass (Kumar et al., 2009)..... | 100 |
| Table 4.2 | Characteristics of Typical Biomass (ORNL, Biochar, 2009)..... | 104 |
| Table 4.3 | Relative Abundance of Individual Sugars in Carbohydrate Fraction of Wood (Goldstein, 1981)..... | 105 |
| Table 4.4 | Summary of the Important Pre-treatment Methods (Sierra et al., 2008)..... | 107 |
| Table 4.5 | Some of the Key Gasification Reactions (McKendry, 2002)..... | 116 |
| Table 4.6 | Heating Value of Syngas Using Various Gasification Agents (McKendry, 2002)..... | 116 |
| Table 4.7 | Various Pyrolysis Processes (Demirbas, 2005; Mohan et al., 2006)..... | 119 |
| Table 4.8 | Properties of Bio-oil (from wood pyrolysis) Compared with Fuel Oils (Czernik and Bridgwater, 2004; Shaddix and Hardesty, 1999)..... | 127 |
| Table 4.9 | Product from Hydrothermal Liquefaction of Biomass at 350°C, 180 bar, and 6 Minutes Residence Time (Biomass Contains 29-30 wt% Lignin, and 68 wt% Cellulose + Hemicelluloses) (Goudriaan and Peferoen, 1990)..... | 128 |
| Table 4.10 | Effect of 0.94 M K ₂ CO ₃ on Hydrothermal Liquefaction of Pine Wood at 280°C for 15 Minutes (Karagoez et al., 2005) | 131 |
| Table 4.11 | Properties of Bio-crude from Hydrothermal Liquefaction Compared to Bio-oil from Fast Pyrolysis (Peterson et al., 2008; Elliott and Schiefelbein 1989)..... | 131 |
| Table 4.12 | Costs of Bio-fuels and Fossil Fuels (Gupta's latest analysis based on an older analysis in Gupta, et al., 2010) | 132 |
| Table 5.1 | Applications of Reactive Distillation (Stankiewicz, 2004) | 146 |