SYSTEM PERSPECTIVES/NET GHG BENEFIT OF CO₂ CONVERSION TECHNOLOGIES

A techno-economic investigation commissioned by the members of the Carbon Dioxide Capture & Conversion (CO₂CC) Program

> Client Private December 2016





The Carbon Dioxide Capture & Conversion (CO2CC) Program

The CO₂CC Program is a membership-directed consortium whose members are involved in the development, monitoring and utilization of the "state-of-the-art" in technological progress and commercial implementation of carbon dioxide capture/clean-up and conversion. By the direction of the member companies (through balloting and other interactive means), the program delivers a range of timely and insightful information and analyses which are accessible exclusively to members and protected by confidentiality agreements. The objective is to document technically and commercially viable options for CO₂ capture/clean-up as well as its conversion into useful products which meaningfully address the challenges posed by CO₂ life-cycle and overall sustainability issues.

Members receive three in-depth CO_2CC Techno-economic Reports which are written by leading scientists and experienced industry professionals in areas selected by the membership (via ballot); weekly CO_2CC Communiqués (delivered via e-mail) which provide the latest updates on technical breakthroughs, commercial events and exclusive development opportunities; and attendance at the CO_2CC Program Annual Meeting.

The **Carbon Dioxide Capture & Conversion** (CO_2CC) **Program** is available on a membership basis from The Catalyst Group Resources (TCGR). For further details, please contact John J. Murphy at <u>John.J.Murphy@catalystgrp.com</u> or +1.215.628.4447 (x1121).



P.O. Box 680 Spring House, PA 19477 U.S.A ph: +1.215.628.4447

CONTENTS

E	KEC	CUTI	VE SUMMARY	xxvii
1.	I	NTR	ODUCTION	1
	1.1	ME	GATREND SUSTAINABILITY	1
	1.2	SOU	URCES OF CARBON DIOXIDE	3
	1.3	CA	RBON DIOXIDE AS RAW MATERIAL	5
	1.4	TAI	RGETS IN CARBON DIOXIDE UTILIZATION	6
	1.	.4.1	Choice of Chemical Targets	6
	1.	.4.2	Interphase of Energy Sector and Chemical Industry	10
	1.	.4.3	Selection of Case Studies	10
	1.5	LIF	E CYCLE ASSESSMENT AS EVALUATION TOOL	11
	1.6	AU'	THORS & CONTRIBUTORS	13
	1.7	REI	FERENCES	14
2.	C	CASE	E STUDY 1 – SYNGAS PRODUCTION VIA DRY REFORMING	17
	2.1	TEC	CHNICAL AND COMMERCIAL NATURE OF THE CURRENT APPROACH.	17
	2.2	TEC	CHNICAL AND COMMERCIAL NATURE OF THE CO ₂ -BASED APPROACH	[20
	2	.2.1	Dry Reforming	20
	2	.2.2	Catalysts and Technology	22
	2.2.	3 S	state of the Art and Pilot Plant Operations	23
	2.3	VIA	ABILITY AND IMPACT	23
	2	.3.1	Life-cycle-assessment	23
	2	.3.2	The Economic Viability	23
	2	.3.3	Impacts of the Opportunities	24
	2	.3.4	Challenges that Need to be Addressed in the Future	24
	2.4	REI	FERENCES	25
3.	C	CASE	E STUDY 2 – METHANOL PRODUCTION ON BASIS OF CO ₂	27
	3.1	TEC	CHNICAL AND COMMERCIAL NATURE OF THE CURRENT APPROACH.	28
	3.2	TEC	CHNICAL AND COMMERCIAL NATURE OF THE CO ₂ -BASED APPROACH	[31
	3.	.2.1	Catalysts and Technology	31

	3.2.2	State of the Art and Pilot Plant Operations	32
	3.3 VIA	BILITY AND IMPACT	33
	3.3.1	Life Cycle Assessment	33
	3.3.2	The Economic Viability	34
	3.3.3	Impacts of the Opportunities	35
	3.3.4	Challenges that Need to be Addressed in the Future	37
	3.4 REI	FERENCES	37
4	. CASE	STUDY 3 – CO ₂ -BASED METHANATION	41
	4.1 TEC	CHNICAL AND COMMERCIAL NATURE OF THE CURRENT APPROACH	41
	4.2 TEC	CHNICAL AND COMMERCIAL NATURE OF THE CO ₂ -BASED APPROACH	42
	4.2.1	Catalysts and Technology	43
	4.2.2	State of the Art and Pilot Plant Operations	47
	4.3 VIA	BILITY AND IMPACT	47
	4.3.1	Life Cycle Assessment	47
	4.3.2	The Economic Viability	48
	4.3.3	Impacts of the Opportunities	49
	4.3.4	Challenges that Need to be Addressed in the Future	50
	4.4 REI	FERENCES	50
5.		STUDY 4 – CO ₂ -BASED FISCHER-TROPSCH PRODUCTION OF FUELS CHEMICALS	55
	5.1 TEC	CHNICAL AND COMMERCIAL NATURE OF THE CURRENT APPROACH	55
	5.2 TEC	CHNICAL AND COMMERCIAL NATURE OF THE CO ₂ -BASED APPROACH	56
	5.2.1	Catalysts and Technology	57
	5.2.2	State of the Art and Pilot Plant Operations	58
	5.3 VIA	BILITY AND IMPACT	58
	5.3.1	Life Cycle Assessment	58
	5.3.2	The Economic Viability	60
	5.3.3	Impacts of the Opportunities	61
	5.3.4	Challenges that Need to be Addressed in the Future	62
	5.4 REI	FERENCES	62
6		STUDY 5 – CO ₂ -BASED POLYCARBONATE AND POLYURETHANE OUCTION	65
		CHNICAL AND COMMERCIAL NATURE OF THE CURRENT APPROACH	
	6.1.1	Synthetic Route to Molecular Carbonates	65

	6.1.2	Synthetic Route to Aromatic Polycarbonates.	67
	6.1.3	Synthetic Route to Aliphatic Polycarbonates	68
	6.2 TE	CHNICAL AND COMMERCIAL NATURE OF THE CO ₂ -BASED APPROACH.	68
	6.2.1	Synthetic Route to Molecular Carbonates	68
	6.2.2	Synthetic Route to Aromatic Polycarbonates.	70
	6.2.3	Synthetic Route to Aliphatic Polycarbonates	71
	6.2.4	State of the Art and Pilot Plant Operations	71
	6.3 VIA	ABILITY AND IMPACT	72
	6.3.1	Life-cycle-assessment	72
	6.3.2	The Economic Viability	73
	6.3.3	Impacts of the Opportunities	74
	6.3.4	Challenges that Need to be Addressed in the Future	75
	6.4 RE	FERENCES	75
7.		STUDY 6 – CO ₂ -BASED CEMENT PRODUCTION AND MINERAL	
		BONATION	
		TENTIAL MARKET VOLUMES IN THE CONSTRUCTION INDUSTRIES	
		OCESSES BASED ON CO ₂ - CURRENT STATE OF THE ART	
	7.2.1	Alternative Binders	
	7.2.2	Mineral Carbonation	
	7.2.3	Implementation of Carbon Capture and Storage	
	7.2.4	State of the Art and Pilot Plant Operations	
		ABILITY AND IMPACT	
	7.3.1	Life Cycle Assessment	
	7.3.2	The Economic Viability	
	7.3.3 7.3.4	Impacts of the Opportunities	
		Challenges that Need to be Addressed in the FutureFERENCES	
0		CLUSIONS	
8			
		FENTIAL OF CO ₂ CONVERSION TECHNOLOGIES	
	8.1.1 8.1.2	Comparison of CCU and CCS Technologies Power-to-gas Technologies	
		STEM PERSPECTIVES/NET GHG BENEFIT	
	8.2.1	Availability of Renewable Energy Efficiency of CO ₂ Conversion	
	0 4 4	PATICICIES OF CON CONVENION	94

PROPRIETARY -- Do Not Reproduce or Redistribute!

This message is in red ink. If not, you have an unauthorized copy.

	Hydrogen Production with Electricity from Renewable Sources	
8.2.4	Application Pathways for Power-to-Fuel Systems	95
8.2.5	Comparison of Technologies	96
8.2.6	Closing the Loop	97
8.3 REFI	ERENCES	97
9. INDEX	Z	.101
	FIGURES	
Figure ES.1	Selected examples of the manifold applications of CO ₂ in the production of value-added chemicals (Peters and Köhler 2011)x	xviii
Figure 1.2.1	Large point sources in Europe (left) and concentration of CO ₂ in the atmosphere (right), adapted from (Canadell and Quéré 2007, von der Assen and Müller 2016).	3
Figure 1.2.2	Material and energy balance for the separation of 1 t of carbon dioxide from the flue gas stream of a coal-fired power station via amine scrubbing; adapted from (Guandalini and Campanari 2015)	4
Figure 1.2.3	Feedstock used in the operational biogas systems in the U.S. (American Biogas Council 2016)	5
Figure 1.4.1.	Figure of merits for evaluating the potential of CO ₂ capture technologies (left) sharpening the evaluation criteria (right) stated in (Peters and Köhler 2011)	8
Figure 1.4.2.	.1 Energy density of common energy carriers	10
Figure 1.5.1	General concept of life-cycle-assessment taking into account all stages during the lifetime of a product from the extraction of the raw materials	

(cradle), production, transport, use to recycling and disposal (grave);

Flow scheme for syngas production by steam reforming of natural gas;

Flow scheme for syngas production by autothermic reforming; adapted

Figure 2.1.1

Figure 2.1.2

Figure 2.1.3

Figure 2.2.1.1	Influence of temperature on the equilibrium composition of dry reforming of CO_2 with natural gas; initial gas composition: $CO_2/CH_4 = 1/1$; adapted from (Pakhare and Spivey 2014)
Figure 3.1.1	Equilibrium conversion in the synthesis of methanol with a feed of CO/H ₂ of 1/2; adapted from (Moulijn and Makkee 2001)
Figure 3.1.2	TEM images of Cu/ZnO recorded in situ at 220°C under the atmosphere stated and corresponding Wulff constructions showing the change of the Cu nanoparticle shape with the gas environment; adapted from (Hansen and Wagner 2002).
Figure 3.1.3	Increased activity of the $\text{Cu/ZnO/Al}_2\text{O}_3$ catalyst after transient switch-off of the CO_2 component in the feed; $\text{CO}: \text{CO}_2: \text{H}_2: \text{N}_2 = 5: 5: 88: 2$, flow reactor, $\text{T} = 220^{\circ}\text{C}$, $\text{p} = 63$ bar, adapted from (Chorkendorff and Niemantsverdriet 2007).
Figure 3.2.1	Combination of the CO ₂ -based synthesis of methanol with the oxy-fuel technology.
Figure 3.3.1.1	Material and energy balance for the production of 1 t methanol from carbon dioxide; adapted from (Pérez-Fortes and Schöneberger 2016)34
Figure 3.3.3.1	Simulated operation characteristics for the use of electricity generated in a coal power plant with integrated power-to-methanol production; the numbers are for a future plant with a size of 12.1 MWh electricity-to-grid and 6.6 MWh power-to-methanol (Mitsubishi Hitachi Power Systems Europe and Carbon Recycling International 2015).
Figure 4.1.1	Influence of pressure (left, data for 300 °C) and temperature (right, data for 1 bar) on the equilibrium composition of the CO_2 methanation reaction; initial gas composition: $CO_2/H_2 = 0.2/0.8$; adapted from (Rönsch and Schneider 2016)
Figure 4.2.1	Material and energy balance for the production of methane equivalent to 1 MJ via the Sabatier process, adapted from (Guandalini and Campanari 2015)
Figure 4.2.1.1	Principle of integrating electrolysis systems and gas turbines into a grid with fluctuating power supply; adapted from (Guandalini and Campanari 2015)44
Figure 4.2.1.2	Process chain of the power-to-gas technology; adapted from (Götz and Lefebvre 2016)
Figure 4.2.1.3	System from renewable energy via power-to-gas to application; adapted from (Reiter and Lindorfer 2015)
Figure 4.2.1.4	Integrating biomethane or biogas production via power-to-gas technologies into the gas grid
Figure 5.1.1	Product distribution in Fischer-Tropsch in dependence of the chain growth probability α; adapted from (Dimitriou and Garcia-Gutierrez 2015)

Figure 5.2.1.1	The more effective binding configuration of the surface intermediates leads to higher selectivity in Fischer-Tropsch upon doping with Na ₂ S or Na ₂ O, adapted from (Xie and Yang 2016)	57
Figure 5.3.1.1	Configuration of the technology used in the analysis of the energy efficiency of fuel production from solar energy; adapted from (van der Giesen and Kleijn 2014)	59
Figure 5.3.1.2	Energy efficiency (left) and global warming potential (right) of fuel production in dependence of the energy source used for electricity production and the source of CO ₂ ; calculated for the configuration shown in Figure 5.3.1. (van der Giesen and Kleijn 2014)	59
Figure 5.3.1.3	GHG emissions per unit energy output for fuels derived from bioenergy carriers (red bars) compared to fuels derived from fossil energy carriers (blue bars); adapted from (Edenhofer and Pichs-Madruga 2012).	60
Figure 5.3.2.1	Configuration for the conversion of biomass into fuel; MEA, monoethanolamine, adapted from (Dimitriou and Garcia-Gutierrez 2015)	61
Figure 6.1.2.1	Consumption of polycarbonate resins; adapted from (2016, Xie and Yang 2016)	68
Figure 6.2.2.1	Asahi Kasei's new process for the production of bisphenol-A polycarbonate by-passes intermediate ethylene carbonate in the formation of open chain dialkylcarbonates, adapted from (Thayer 2015)	70
Figure 8.2.1.1	Global distribution of the yearly averaged downward solar radiation (left, in W/m ²) and the yearly averaged wind speed (right, in m/s); adapted from (Jacobson 2010)	93
Figure 8.2.1.2	Cost of electricity (top) and fuels (bottom) generated by the use of renewable primary energy sources and commercially available technologies (red and blue bars) in comparison to the cost using fossil primary energy sources (range marked in orange); prices in US\$ 2005 (Edenhofer and Pichs-Madruga 2012)	94
	TABLES	
Table D.1	Definition of Technology Readiness Level Used in this Studyx	ΧV
Table D.2	Traffic Light System Applied in this Study in Evaluating the Attractiveness of a Particular CO ₂ -Based Technologyx	
Table ES.1	Case Studies Selected to Discuss the Potential of CO ₂ -Based Technologies Comparing the Current Technological Approach to Fuels, Commodity Chemicals and Materials with the Corresponding CO ₂ -Based Technologyxx	κxi

Table 1.1.1	Technologies (figures refer to 2014)	2
Table 1.1.2	Price Estimates on the Production of Selected Commodities from CO ₂	2
Table 1.1.3	Classification of Co-Reagents Used in CO ₂ Utilization According to Simplicity and the Need to Use an Additional Energy Supply	3
Table 1.4.1.1	Products Obtained at Present with the Use of CO ₂ as Feedstock, Production Volume and Amount of CO ₂ Fixed in the Product	7
Table 1.4.3.1	Case Studies Selected for Discussing the Potential of CO ₂ -Based Technologies	.11
Table 2.1.1	Large scale applications of syngas in dependence of the gas composition with characteristic ratio of carbon monoxide and hydrogen	.17
Table 2.3.3.1	Comparison of the current approach and the CO ₂ -based approach for syngas generation.	.24
Table 3.3.3.1	Comparison of the current approach and the CO ₂ -based approach in methanol production	.36
Table 4.3.2.1	Investment for a power-to-gas plant detailed to the main components	49
Table 4.3.3.1	Comparison of the current approach and the CO ₂ -based approach in CO ₂ methanation	.50
Table 5.3.3.1	Comparison of the current approach and the CO ₂ -based approach	.62
Table 6.3.3.1	Comparison of the current approach and the CO ₂ -based approach	.74
Table 7.3.3.1	Comparison of the current approach and the CO ₂ -based approach	.85
Table 8.2.1.1	Overview on the potential of alternative energy sources	.92
Table 8.2.3.1	Key operation parameters of current and future electrolysis technologies	95
Table 8.2.5.1	Estimated CO ₂ utilization potential by relating the recent annual demand (market volume) with the amount of CO ₂ fixed in the product (specific CO ₂ content).	.96