

ADVANCED MATERIALS FOR CO₂ CAPTURE AND SEPARATION

A techno-economic investigation
commissioned by the members of the
Carbon Dioxide Capture & Conversion (CO₂CC) Program

Client Private
September 2022



The Carbon Dioxide Capture & Conversion (CO₂CC) Program

The **CO₂CC Program** is a membership-directed consortium whose members are involved in the development, monitoring and utilization of the “state-of-the-art” in technological progress and commercial implementation of carbon dioxide capture/clean-up and conversion. By the direction of the member companies (through balloting and other interactive means), the program delivers a range of timely and insightful information and analyses which are accessible exclusively to members and protected by confidentiality agreements. The objective is to document technically and commercially viable options for CO₂ capture/clean-up as well as its conversion into useful products which meaningfully address the challenges posed by CO₂ life-cycle and overall sustainability issues.

Members receive three in-depth **CO₂CC Techno-economic Reports** which are written by leading scientists and experienced industry professionals in areas selected by the membership (via ballot); weekly *CO₂CC Communiqués* (delivered via e-mail) which provide the latest updates on technical breakthroughs, commercial events and exclusive development opportunities; and attendance at the CO₂CC Program **Annual Meeting**.

The **Carbon Dioxide Capture & Conversion (CO₂CC) Program** is available on a membership basis from The Catalyst Group Resources (TCGR). For further details, please contact Chris Dziedziak at cdziedziak@catalystgrp.com or +1.215.628.4447.



P.O. Box 680
Spring House, PA 19477 U.S.A.
ph: +1.215.628.4447
www.catalystgrp.com

CONTENTS

EXECUTIVE SUMMARY	xxiii
1. INTRODUCTION	1
1.1 BACKGROUND	1
1.2 SCOPE AND OBJECTIVES	2
1.3 AUTHORS AND CONTRIBUTORS	3
1.4 REFERENCES	4
2. MATERIALS FOR POST-COMBUSTION AND PRE-COMBUSTION CO₂ CAPTURE	7
2.1 INTRODUCTION	7
2.2 POST-COMBUSTION CO ₂ ABSORPTION	7
2.2.1 Different Alkaline Solutions	7
2.2.2 Influence of Additives on CO ₂ Absorption	11
2.2.3 Influence of Reaction Parameters.....	13
2.2.4 Reactor for CO ₂ Absorption.....	17
2.3 PRE-COMBUSTION CO ₂ CAPTURE	23
2.3.1 Syngas Production.....	23
2.3.2 Water Gas Shift Reaction for H ₂ Production.....	26
2.3.3 Sorption Enhanced H ₂ Production.....	28
2.4 ECONOMIC ANALYSIS	30
2.4.1 Absorption-based Post-combustion CO ₂ Capture (PCC).....	31
2.4.2 Economic Analysis of Pre-combustion CO ₂ Capture.....	35
2.5 ASSESSMENT AND HURDLES	37
2.6 SUMMARY AND CONCLUSIONS.....	38
2.7 REFERENCES	39
3. MATERIALS FOR CO₂ CAPTURE BY ADSORPTION METHODS	51
3.1 INTRODUCTION	51
3.2 ADSORPTION WITH MESOPOROUS MATERIALS	51
3.2.1 SiO ₂ Based Mesoporous Materials.....	51
3.2.2 Carbon Based Mesoporous Materials.....	52
3.2.3 Alumina Based Mesoporous Materials	53
3.2.4 Other Mesoporous Materials	54

PROPRIETARY -- Do Not Reproduce or Redistribute!

This message is in red ink. If not, you have an unauthorized copy.

3.3 ADSORPTION WITH MgO-BASED MATERIALS	55
3.3.1 MgO Development	55
3.3.2 Influence of Process Parameters	57
3.4 ADSORPTION WITH CaO-BASED MATERIALS	59
3.4.1 CaO Synthesis	59
3.4.2 Influence of Process Parameters	60
3.4.3 Reaction Mechanism	61
3.5 ADSORPTION WITH BIOCHAR-BASED MATERIALS	62
3.5.1 Biochar Preparation from Biomass Pyrolysis	62
3.5.2 Influence of Process Parameters	64
3.6 ADSORPTION WITH MOF-BASED MATERIALS	65
3.6.1 Type of MOF Materials for CO ₂ Capture	65
3.6.2 Modification of MOF for CO ₂ Capture	66
3.6.3 Influence of Process Parameters	68
3.7 ECONOMIC ANALYSIS	69
3.7.1 Cost of Solid Sorbents	69
3.7.2 Capital Cost of CO ₂ Capture and Adsorption	70
3.7.3 Whole System Economic Analysis	73
3.7.4 Sensitivity Analysis of CO ₂ Adsorption	75
3.8 ASSESSMENT AND HURDLES	75
3.9 SUMMARY AND CONCLUSIONS	77
3.10 REFERENCES	78
4. MATERIALS FOR CO₂ SEPARATION BY MEMBRANE TECHNOLOGY	87
4.1 INTRODUCTION	87
4.1.1 Light Gas Permeation in Non-reactive Polymers	88
4.1.2 Permeability/Selectivity Trade-off and Upper Bounds	91
4.1.3 Facilitated Transport Mechanism	93
4.2 POLYMERIC MEMBRANES AND POLY(IONIC LIQUID) MEMBRANES	95
4.2.1 Ether Oxygen-rich Polymers	95
4.2.2 Perfluoropolymers	97
4.2.3 Thermally Rearranged (TR) Polymers	99
4.2.4 Iptycene-containing Polymers	102
4.2.5 Polymeric Ionic Liquids	105

PROPRIETARY -- Do Not Reproduce or Redistribute!

This message is in red ink. If not, you have an unauthorized copy.

4.2.6 Other Non-reactive Polymers	107
4.3 INORGANIC MEMBRANES	108
4.4 FACILITATED TRANSPORT MEMBRANES	110
4.4.1 Amine-containing Facilitated Transport Membranes.....	110
4.4.2 Facilitated Transport Membranes with Other Carriers.....	115
4.5 RECENT STATE-OF-THE-ART TECHNOLOGY DEVELOPMENTS	117
4.5.1 Plate-and-Frame Modules	117
4.5.2 Hollow-fiber Modules	118
4.5.3 Spiral-wound Modules	119
4.6 ECONOMIC ANALYSIS.....	122
4.6.1 Cost of CO ₂ Capture from Flue Gas.....	122
4.6.2 Cost of CO ₂ Capture from Syngas	129
4.7 ASSESSMENT AND HURDLES	132
4.8 SUMMARY AND CONCLUSIONS.....	134
4.9 REFERENCES	135
5. OTHER CO₂ CAPTURE AND SEPARATION TECHNOLOGIES	159
5.1 OXYFUEL COMBUSTION CARBON CAPTURE	159
5.1.1 Introduction of Oxyfuel Combustion	159
5.1.2 Oxygen Production.....	159
5.1.3 Oxyfuel Combustion in Gas Turbines.....	160
5.1.4 Oxycarbonylation of Liquid Fuels.....	160
5.2 CHEMICAL LOOPING.....	162
5.2.1 Introduction of Chemical Looping	162
5.2.2 Chemical Looping Reforming.....	162
5.2.3 Chemical Looping Gasification.....	163
5.2.4 Oxygen Carriers	165
5.3 Direct Air Capture	166
5.3.1 Introduction of DAC	166
5.3.2 Materials for DAC	166
5.3.3 Sorbent Regeneration	167
5.4 CRYOGENIC CARBON CAPTURE	169
5.4.1 Introduction of Cryogenic Carbon Capture.....	169
5.4.2 Systems for Cryogenic Carbon Capture	169

5.5 ECONOMIC ANALYSIS	170
5.5.1 Economic Analysis of Oxyfuel Combustion Capture	170
5.5.2 Economic Analysis of Chemical Looping	171
5.5.3 Economic Analysis of Direct Air Capture	172
5.5.4 Economic Analysis of Cryogenic Capture	173
5.6 ASSESSMENT AND HURDLES.....	175
5.7 SUMMARY AND CONCLUSIONS	176
5.8 REFERENCES	177
6. INDEX	183

FIGURES

Figure 2.1 Energy requirement for different ammonia-based CO ₂ capture systems	9
Figure 2.2 Nanoparticles selection criteria for solvent regeneration	12
Figure 2.3 Influence of CO ₂ concentration on specific reboiler duty and CO ₂ absorption.....	14
Figure 2.4 A simple diagram of water wash assisted solvent-based CO ₂ absorption	15
Figure 2.5 Structure of the ejector and downcomer of a novel fine bubble jet reactor, and the influence of the length of downcomer on mass transfer coefficient and gas hold up	18
Figure 2.6 Influence of rotating speed on CO ₂ absorption rate and mass transfer coefficient	20
Figure 2.7 Schematic diagram of the spinneret for dual-layer hollow fiber spinning (a); typical fabricated hollow fiber composite membrane (b)	22
Figure 2.8 Elementary steps for dry reforming methane	25
Figure 2.9 Catalysts used under different reaction mechanisms.....	27
Figure 2.10 Illustration of oxy-fuel combustion assisted sorption enhanced gasification ..	29
Figure 2.11 CO ₂ capture cost for different amine solvents	32
Figure 2.12 Influence of partial pressure of CO ₂ and scale on the cost of carbon capture ..	33
Figure 3.1 Schematic synthetic procedure of CaO-mesoporous silica composite from blast furnace slag	52
Figure 3.2 Procedure for preparing mesoporous triazine-based carbon materials	53
Figure 3.3 Influence of adsorption temperatures on CO ₂ adsorption capacity of 70T-MM -550 in pure CO ₂ (left); influence of adsorbent on CO ₂ adsorption capacity (right). “uncalcined” - without calcination and amine loading;	

“MM-550” - calcined at 550 °C without amine loading; “60T-MM” - uncalcined adsorbent with 60 wt.% TEPA loading; “60T-MM-550” - adsorbent calcined at 550 °C with 60 wt.% TEPA loading.	55
Figure 3.4 Using porous materials as supports of MgO for CO ₂ capture	56
Figure 3.5 Influence of CO ₂ concentration on CO ₂ adsorption using alkali metal salt promoted MgO sorbents	57
Figure 3.6 CO ₂ capture using MgO-based sorbents at different temperatures	58
Figure 3.7 Procedure of IO-structured CaO sorbent development	60
Figure 3.8 Influence of temperature on the grain size under different heat treatment temperatures	62
Figure 3.9 Influence of urea to carbon mass ratio on CO ₂ capture and the surface area of the sorbents.....	64
Figure 3.10 The CO ₂ adsorption capacity versus CO ₂ /N ₂ selectivity.....	66
Figure 3.11 Capital cost estimation using the bottom-up approach	71
Figure 3.12 Breakdown of the contributions of the various components to the capital cost	72
Figure 4.1 Effects of temperature on the predicted upper bounds for (a) CO ₂ /N ₂ , (b) CO ₂ /CH ₄ , (c) H ₂ /CO ₂ , and (d) CO ₂ /H ₂	93
Figure 4.2 Schematic of gas permeation through a facilitated transport membrane	95
Figure 4.3 Synthesis route of poly(1,3-dioxolane) at 70°C	97
Figure 4.4 Structures of commercial fluorinated polymers and perfluorodioxolane polymers	98
Figure 4.5 Thermally rearrangement mechanism of (a) TR- α and (b) TR- β	100
Figure 4.6 Synthesis of a TR-PBO copolymer containing Tröger's base units	102
Figure 4.7 Synthesis of 6FDA-iptycene polyimides by using (a) triptycene and extended triptycene and (b) pentiptycene.....	103
Figure 4.8 Hydroxyl-functionalized polyimides, derived from 2,2-bis(3-amino-4-hydroxyphenyl)-hexafluoropropane (APAF), containing conventional 6FDA and PIM-type 9,10-diisopropyl-triptycene dianhydrides (TPDA)	104
Figure 4.9 Synthesis scheme of the cross-linked tris(2-aminoethyl) amine-poly(ethylene glycol) diacrylate membrane	106
Figure 4.10 Simplified mechanism of oxidation and cross-linking of PDMS by oxygen plasma	109
Figure 4.11 (a) Stepwise reductive amination of PVAm and (b) the transport performances of the modified PVAm with 27 and 36% methylation degrees, respectively, against the upper bounds.....	112

Figure 4.12	IP of FTM containing rigid contortion units of spirobisindane and tertiary amino groups	113
Figure 4.13	The carbamate pathways of (a) PZ-Gly and (b) PZEA-Sar and the bicarbonate pathways of (c) PZ-Gly and (d) PZEA-Sar for leading to their preferred products. Relative energies (ΔE , with respect to reactants) of structures in the amine–CO ₂ reactions of carriers following the (e) carbamate and (f) bicarbonate pathways	114
Figure 4.14	(a) ¹ H NMR spectra of 0.5 m tetramethylammonium fluoride (TMAF) before and after heating at 130°C; (b) chemical shifts of water in the presence of 0.5 m of KF, CsF, and TMAF	116
Figure 4.15	(a) Polymer support casting machine; (b) thin-film coating machine; (c) PES casting solution for support fabrication; (d) amine-containing coating solution; (e) 14"-wide scale-up PES substrate (insert: SEM of the PES surface morphology); (f) 14"-wide scale-up composite membrane (insert: cross-sectional SEM of the composite membrane's top layer); (g) photo of OSU's 1.4-m ² SW module at NCCC; (h) 500-h stability of the SW module	121
Figure 4.16	(a) CO ₂ purity map at different membrane areas and permeate-to-feed pressure ratios of a single-stage membrane process with a CO ₂ /N ₂ selectivity of 50; (b) attainable CO ₂ recovery and purity for a single-stage membrane process with CO ₂ /N ₂ selectivities of 20–60	122
Figure 4.17	Two-stage membrane processes: (E1)–(E5) enriching cascades; (S1)–(S5) stripping cascades. Keys: □ = compressor; ▨ = expander; ○ = vacuum pump. Stream: warmer color (e.g., red) = higher CO ₂ concentration; colder color (e.g., blue) = lower CO ₂ concentration. Warmest to coldest colors: red, orange, purple, blue.	124
Figure 4.18	Comparison of parasitic energy consumptions of process E4 in Figure 4.17 vs. MEA absorption for CO ₂ recoveries of 50, 70, and 90%. A CO ₂ permeance of 185 GPU and a CO ₂ /N ₂ selectivity of 43 were used for the membrane	125
Figure 4.19	Membrane properties required for process E4 in Figure 4.17 to be cost-competitive vs. MEA absorption	126
Figure 4.20	(a) Flow diagram of two-stage retentate recycle process to capture CO ₂ from coal-fired power plant; (b) changes of CO ₂ partial pressure and the corresponding CO ₂ permeances in a FTM module with 30, 70, and 90% CO ₂ recoveries.....	127
Figure 4.21	(a) Flow diagram of a two-step air sweep membrane process to capture and sequester CO ₂ from coal-fired power plant; (b) effect of CO ₂ /N ₂ selectivity on capture cost for 90% CO ₂ capture. Base case = 1000 GPU and 50 CO ₂ /N ₂ selectivity	128

PROPRIETARY -- Do Not Reproduce or Redistribute!

This message is in red ink. If not, you have an unauthorized copy.

Figure 4.22	Effects of CO ₂ mole fraction on the membrane, rotary equipment, maintenance, and energy costs for process S2 in Figure 4.17.....	129
Figure 4.23	(a) Single-stage membrane process using a H ₂ -selective membrane; (b) H ₂ -selective membrane process using compressed N ₂ from the ASU as sweep gas	130
Figure 4.24	(a) CO ₂ -selective membrane process assisted by cryogenic distillation for 90% carbon capture from IGCC plant; (b) effect of CO ₂ /H ₂ selectivity on power consumption	131
Figure 4.25	CAPEX, OPEX, and energy contributions to the levelized cost of electricity (LCOE) of IGCC power plants with different carbon capture technologies.....	132
Figure 4.26	Transport properties of selected polymers against the (a) 2008 and 2019 CO ₂ /N ₂ upper bounds, (b) theoretical CO ₂ /H ₂ upper bounds at 25 and 120°C, (c) 2008 H ₂ /CO ₂ upper bound and its theoretical projection at 150°C, and (d) 2008 and 2019 CO ₂ /CH ₄ upper bounds	133
Figure 5.1	Influence of spark timing on BSFC and θ _F	161
Figure 5.2	Simplified illustration of a chemical looping process	162
Figure 5.3	Schematic diagram of sorption enhanced chemical looping reforming of methanol.....	163
Figure 5.4	Influence of reaction temperature on hydrogen concentration using various oxygen carriers for chemical looping gasification	164
Figure 5.5	Methane concentration versus methane conversion using various oxygen carriers	165
Figure 5.6	Solvent impregnated polymers (SIPs) liquid-like nanoparticle organic hybrid materials	168

TABLES

Table 3.1	Cost and Adsorption Capacity of Common Solid Adsorbents	70
Table 3.2	Capital and Operating Cost of the Adsorption Process	72
Table 3.3	A Summary of Techno-economic Studies with Information on Technology and Sorbent Type.....	74
Table 4.1	Physical Properties of Light Gases in Non-reactive Polymers and the Estimated Solubility and Diffusivity Selectivities Against CO ₂ At 25°C	90
Table 5.1	Energy Consumption and Costs of the Oxyfuel Combustion Process Using Different Fuels and ASU	171
Table 5.2	Technical and Economic Information About Selected DAC Processes.....	174
Table 5.3	Capture Level, Energy Consumption and Costs of Different CO ₂ Capture Technologies	174