THE CATALYST GROUP RESOURCESTM

CO₂ REDUCTION VIA BIOMASS CONVERSION IN ENERGY AND CHEMICALS

A techno-economic investigation commissioned by the members of the Carbon Dioxide Capture & Conversion (CO₂CC) Program

Client Private October 2022





The Carbon Dioxide Capture & Conversion (CO₂CC) Program

The CO₂CC Program is a membership-directed consortium whose members are involved in the development, monitoring and utilization of the "state-of-the-art" in technological progress and commercial implementation of carbon dioxide capture/clean-up and conversion. By the direction of the member companies (through balloting and other interactive means), the program delivers a range of timely and insightful information and analyses which are accessible exclusively to members and protected by confidentiality agreements. The objective is to document technically and commercially viable options for CO₂ capture/clean-up as well as its conversion into useful products which meaningfully address the challenges posed by CO₂ life-cycle and overall sustainability issues.

Members receive three in-depth CO_2CC Techno-economic Reports which are written by leading scientists and experienced industry professionals in areas selected by the membership (via ballot); weekly CO_2CC Communiqués (delivered via e-mail) which provide the latest updates on technical breakthroughs, commercial events and exclusive development opportunities; and attendance at the CO_2CC Program Annual Meeting.

The **Carbon Dioxide Capture & Conversion (CO₂CC) Program** is available on a membership basis from The Catalyst Group Resources (TCGR). For further details, please contact Chris Dziedziak at cdziedziak@catalystgrp.com or +1.215.628.4447.



P.O. Box 680 Spring House, PA 19477 U.S.A ph: +1.215.628.4447 www.catalystgrp.com

CONTENTS

E	XECUTI	VE SUMMARY	xxi
1.	INTR	ODUCTION	1
	1.1 BIC	MASS PROCESSING AND THE REDUCTION OF CO2 EMISSIONS	1
	1.2 SUS	STAINABILITY METRICS	3
	1.3 PO	LICIES ON BIOFUELS AND BIOCHEMICALS	4
	1.4 SC	OPE AND OBJECTIVES OF THE REPORT	5
	1.5 OR	GANIZATION OF THE REPORT	5
	1.6 AU	THORS AND CONTRIBUTORS	6
	1.7 REI	FERENCES	7
2.	BION	IASS CONVERSION IN ENERGY	9
	2.1. OV	ERVIEW OF ENERGY APPLICATIONS	9
	2.1.1	Transport Fuels	9
	2.1.2	Electricity and Heat	10
	2.2 TR	ANSPORT FUELS	10
	2.2.1	Drop-in Fuels – Diesel, Gasoline, and Jet Fuel Equivalents	10
	2.2.2	Biodiesel	34
	2.2.3	Ethanol	40
	2.2.4	Renewable Natural Gas (RNG)	47
	2.2.5	Hydrogen	54
	2.3 ELI	ECTRICITY AND HEAT	59
	2.3.1	Solid Biomass	59
	2.3.2	Biogas	64
	2.4 SU	MMARY AND OUTLOOK FOR ENERGY	66
	2.5 REI	FERENCES	69
3.	BION	IASS CONVERSION IN CHEMICALS	81
	3.1 OV	ERVIEW OF BIOMASS FEEDSTOCKS AND BIOMASS VALUE CHAINS	81
	3.1.1	Feedstock Pretreatment Technologies (Lignocellulose, Starch, Oil)	81
	3.1.2	Feedstock Carbon Displacement Factors	85
	3.1.3	Value Chains	88
	3.2 BIC	MASS INTERMEDIATE FEEDSTOCKS	90
	3.2.1	Alkane Feedstocks	90

3.2.2	Naphtha Feedstocks	91
3.2.3	Emission Reduction	92
3.2.4	Summary and Outlook for Biomass Intermediate Feedstocks	92
3.3 SYN	NGAS VALUE CHAIN	93
3.3.1	Methanol	93
3.3.2	Formaldehyde	93
3.3.3	Acetic Acid	94
3.3.4	Emission Reduction	95
3.3.5	Summary and Outlook for Syngas Value Chain	96
$3.4 C_2$	VALUE CHAIN	97
3.4.1	Ethylene	97
3.4.2	Ethylene Oxide.	100
3.4.3	Ethylene Glycol	100
3.4.4	Emission Reduction	101
3.4.5	Summary and Outlook for C ₂ Value Chain	102
$3.5 C_3 V$	VALUE CHAIN	103
3.5.1	Propylene	103
3.5.2	Propylene Oxide	103
3.5.3	Propylene Glycol	103
3.5.4	Isopropanol	104
3.5.5	Acrylonitrile	104
3.5.6	Acrolein	106
3.5.7	Acrylic Acid	106
3.5.8	Lactic Acid	107
3.5.9	Emission Reduction	109
3.5.10	Summary and Outlook for C ₃ Value Chain	111
3.6 C ₄ V	VALUE CHAIN	111
3.6.1	Iso-butylene	111
3.6.2	1,3- Butadiene	111
3.6.3	Emission Reduction	113
3.6.4	Summary and Outlook for C ₄ Value Chain	113
3.7 C ₅ V	VALUE CHAIN	114

3.7.1	Levulinic Acid	. 114
3.7.2	Furfural	. 115
3.7.3	Emission Reduction	. 117
3.7.4	Summary and Outlook for C ₅ Value Chain	. 117
3.8 C ₆ /C	6+ VALUE CHAIN	. 118
3.8.1	BTX: Benzene, Toluene, Xylene	. 118
3.8.2	Phenols	. 119
3.8.3	2,5-Furan Dicarboxylic Acid (FDCA)/ 5-Hydroxymethylfurfural (HMF)	. 120
3.8.4	Emission Reduction	. 121
3.8.5	Summary and Outlook for C ₆ /C ₆ + Value Chain	. 122
3.9 BIO	SURFACTANTS	. 123
3.9.1	Emission Reduction	. 126
3.9.2	Summary and Outlook for Biosurfactants	. 128
3.10 SU	JMMARY AND OUTLOOK FOR BIOCHEMICALS	. 129
3.11 RI	EFERENCES	. 130
4. INDEX	K	. 143
	FIGURES	
Figure 1.1	Global greenhouse gas emissions by sector	1
Figure 2.1	Process flowchart for the hydrotreatment of vegetable oils (HVO/HEFA) pathway	12
Figure 2.2	Process flowchart for the pyrolysis pathway	15
Figure 2.3	Process flowchart for the gasification pathway, with the possible alternative for syngas processing and end-products	20
Figure 2.4	Process flowchart for the hydrothermal liquefaction pathway, with possible alternatives for aqueous phase treatment	25
Figure 2.5	Process flowchart for the alcohol-to-jet-fuel (ATJ) pathway	28
Figure 2.6	Process flowchart for the DSHC pathway	32
Figure 2.7	Process flowchart for the biodiesel production pathways, using 1 st , 2 nd , and 3 rd generation feedstocks	35
Figure 2.8	Process flowchart for the 1 st generation ethanol production pathways using corn or sugarcane	
Figure 2.9	Process flowchart for the 2 nd generation ethanol production pathway	

Figure 2.10	Process flowchart for the RNG production pathway via anaerobic digestion (AD)	51
Figure 2.11	Process flowchart for the production of hydrogen via microbial fermentation/dark fermentation	57
Figure 2.12	Process flowchart for the electricity production or CHP from direct combustion of biomass	61
Figure 2.13	Process flowchart for the electricity production or CHP from biogas produced by AD	64
Figure 3.1	Illustration of pretreatment methods and biorefinery processes from lignocellulosic biomass	82
Figure 3.2	Wet milling and dry milling processes	83
Figure 3.3	Soybean oil extraction and purification process	84
Figure 3.4	Illustration of oil palm tree processing for oil extraction	85
Figure 3.5	Illustration of direct and indirect land use changes	86
Figure 3.6	Meta-analysis results of the land use change impact on CO ₂ emissions due to the demand for bioenergy production	87
Figure 3.7	Illustration of carbon DF calculation for wood use	88
Figure 3.8	A schematic of the biphasic catalytic process	91
Figure 3.9	Illustration of crude oil distillation and products	91
Figure 3.10	Process diagram of Honeywell UOP Ecofining TM single-stage process	92
Figure 3.11	Illustration of a methanol production process based on coal or straw gasification .	94
Figure 3.12	Illustration of a typical liquid-phase methanol carbonylation process for acetic acid production	95
Figure 3.13	Reactions involved in ethane cracking process	97
Figure 3.14	Flow diagrams for manufacturing ethylene from corn grain	98
Figure 3.15	Flow diagrams for manufacturing ethylene from corn stover	99
Figure 3.16	Ethylene oxide production through partial oxidation of ethylene	100
Figure 3.17	Ethylene glycol production through hydration of ethylene oxide	101
Figure 3.18	Production for isopropanol from propylene through direct hydration	104
Figure 3.19	Process flow diagram of the SOHIO process	105
Figure 3.20	Acrolein production from propylene oxidation (above) and acrylic acid production from oxidation of acrolein (below)	107
Figure 3.21	Illustration of lactic acid production from glucose fermentation	108
Figure 3.22	Illustrations of Lebedev and Ostromisslensky pathways	112
Figure 3.23	Illustration of levulinic acid productions from cellulose and hemicellulose	114

Figure 3.24	Examples of derivative from furfural	116
Figure 3.25	Process diagram illustrating the production of phenol from cumene	119
Figure 3.26	Process description of Avantium's YXY® technology	120
Figure 3.27	Types of surfactants	123
	TABLES	
Table 1.1	Summary of Emission Reduction Drivers and Blockers for Biomass Conversion to Energy and Chemicals	3
Table 2.1	Description of Technology Readiness Levels (TRL)	10
Table 2.2	Expected Range for GHG Reduction by HEFA/HVO Process for the Different Feedstock Categories (Targeted Reduction is at Least 50%, Based on the RFS)	14
Table 2.3	Expected Range for GHG Reduction by Pyrolysis Process for the Different Feedstock Categories (Targeted Reduction is at Least 50%, Based on the RFS)	18
Table 2.4	Expected Range for GHG Reduction by Gas-FT Process for the Different Feedstock Categories (Targeted Reduction is at Least 50%, Based on the RFS)	23
Table 2.5	Expected Range for GHG Reduction by HTL Process for the Different Feedstock Categories (Targeted Reduction is at Least 50%, Based on the RFS)	27
Table 2.6	Expected Range for GHG Reduction by ATJ Process for the Different Feedstock Categories (Targeted Reduction with Respect to the RFS Category is also Shown).	31
Table 2.7	Expected Range for GHG Reduction by 1 st Generation Ethanol Production for the Different Feedstock Categories, Considering Current Production with No Addition Land Use Change (Targeted Reduction with Respect to the RFS Category is also Shown)	
Table 2.8	Expected Range for GHG Reduction by Cellulosic Ethanol Production for the Different Feedstock Categories (Targeted Reduction with Respect to the RFS Category is 60%)	
Table 2.9	Expected Range for GHG Reduction by RNG (Gas) Pathway for the Different Feedstock Categories (Targeted Reduction with Respect to the RFS Category is 50%)	49
Table 2.10	Expected Range for GHG Reduction by RNG (AD) Pathway for the Different Feedstock Categories (Targeted Reduction with Respect to the RFS Category is 50%)	53
Table 2.11	Expected Range for GHG Reduction by H ₂ (Gas) Pathway for the Different Feedstock Categories (Targeted Reduction with Respect to the RFS Category is 50%)	56
Table 2.12	Summary of Expected GHG Emissions Reductions for the Different Energy Pathways Outlined in this Report (A Short Description of the Type of Pathway and Feedstock is Provided)	67
Table 3.1	Summary of Value Chains Investigated in this Report	

Table 3.2	Summary of GWP Results for Bio-based and Benchmark Pathways for Syngas-derived Chemicals	96
Table 3.3	Summary of GWP Results for Bio-based and Benchmark Pathways for C ₂ Chemicals	102
Table 3.4	Summary of GWP Results for Bio-based and Benchmark Pathways for C ₃ Chemicals	110
Table 3.5	GWP Results of Bio-based 1,3-BD Production From Various Locations	113
Table 3.6	Summary of GWP Results for Bio-based Production Pathways for Levulinic Acid and Furfural	117
Table 3.7	Summary of GWP Results for Bio-based and Fossil-Based Production Pathways for C ₆ /C ₆₊ Chemicals	122
Table 3.8	Summary of Common Surfactants and Their Production Pathways	124
Table 3.9	Summary of GWP Results for Selected Surfactants	127